
FILE NOTATIONS		200	
Entered in NID File	Checked by Chief	MUL	
Entered On S R Sheet	Copy NID to Field Office	:e	
Lecation Map Pinned	Approval Letter	62060	
Card Indexed	Disappro : Her	17-11-1-1-1-1-1	
IWR for State or Fee Land	···············		
COMPLETION DATA:			
Date Well Completed 7-6	20-66 Location Insperted	***************************************	
OW. WW TA	Bond eta sid		-
GW OS PA	State of Fee Land	************************	
	LOGS: FH.SD		
Driller's Log 10 71-66	·		
Electric Logs (No.) 5	· · · · · · · · · · · · · · · · · · ·		
	GR GRN	. Micro	
Lat Mi-L	Sonic Others		
Samona Kay	Correlation & A.	1 Dustia	Comen & Bon
77			



Form approved.

(May 1963) UNITED STATE	S (Other instruc	de) on	Budget Bure	au No. 42-R1425.
DEPARTMENT OF THE GEOLOGICAL SURV		5. LEASE DESIGNATION U - 020433	N AND SERIAL NO.	
APPLICATION FOR PERMIT TO DRILL,		ACK	6. IF INDIAN, ALLOTT	DE OR TRIBE NAME
DRILL DEEPEN b. TYPE OF WELL			7. UNIT AGREEMENT	NAME
OIL GAS WELL OTHER	SINGLE MULTIPE	LIB	8. FARM OR LEASE N	
2. NAME OF OPERATOR G. S. CAMPBELL			9. WELL NO. Gev't. 31-	
3. ADDRESS OF OPERATOR BLDG., SALT LAKE		*	10. FIELD AND POOL,	OR WILDCAT
4. LOCATION OF WELL (Report location clearly and in accordance we At surface C SE SE 31, T85-R17E, SL At proposed prod. zone 660 FSL \$660 FE	M	19.00 to 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00 19.00	Monument I 11. sec., T., B., M., or AND SURVEY OR 31, TGS-R I	BLK.
14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR PO			12. COUNTY OR PARIS	H 13. STATE
15. DISTANCE FROM PROPOSED* LOCATION TO NEARBST PROPERTY OR LEASE LINE, FT. (Also to nearest drig. line, if any)	16. NO. OF ACRES IN LEASE 624. 13 V	8d° TH	ACRES ASSIGNED	
18. DISTANCE FROM PROFOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT.	19. PROPOSED DUPTH 5-425	Rotar	Y OR CABLE TOOLS	PODE NWILL STADTA
21. ELEVATIONS (Show whether DF, RT, GR, etc.) 5258 ungraded		0	July 1966	
23. PROPOSED CAS	ING AND CEMENTING PROGRA	M ×		1
SIZE OF HOLE SIZE OF CASING WEIGHT PER	FOOT SETTING DEPTH	100	QUANTITY OF COM	BNT 14
7 7/8" 4 1/2" 11.6	5425'	150	63 8	
Hydraaulic blind ram BOP Mud drill to 1800' Air-mist drill to T. D. Mud up, log, decide to complete or	not,	Section of the sectio		To some Contract of the contra
É	Jan than 200 incel (Cample	90 M J eO - G	confli	(id gor)
				10
IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to de zone. If proposal is to drill or deepen directionally, give pertine preventer program, if any.	epen or plug back, give data on p ent data on subsurface locations at	resent produ nd measured	active zone and propo and true vertical dep	sed new productive oths. Give blowou
SIGNED A Chen Theel	Operator		DATE /S	Jen 66
(This space for Federal or State office use)				

T8S, RITE, SLB & M



G.S. CAMPBELL et al Govt. 31 - 2 WELL LOCATION AS SHOWN IN THE SE 1/4, SE 1/4, SECTION 31, TBS, RITE, SLB & M. DUCHESNE COUNTY, UTAH

CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

When A. and Phell

380 EMPIRE BLDG.

SALT LAKE CITY, UTAH

2 JUNE 1966 SCALE:

1" = 1000'

From DEPARTMENT

DATE:

DIVISION

FILE:

To DEPARTMENT

SUBJECT:

DIVISION

June 20, 1966

G. S. Campbell 380 Empire Building Salt Lake City, Utah

> Re: Well No. Gov't. 31-2, Sec. 31, T. 8 S., R. 17 E., Duchesne County, Utah

Dear Mr. Campbell,

Insofar as this office is concerned, approval to drill the above mentioned well is hereby granted. However, this approval is conditional upon this well not being completed in the same gas some as the Gov't. #31-1, Sec. 31, T. 8 S., R. 17 E., Duchesne County, Utah.

Should you determine that it will be necessary to plug and abandon this well, you are hereby requested to immediately notify the following:

PAUL W. BURCHELL, Chief Petroleum Engineer HOME: 277-2890 - Salt Lake City, Utah OFFICE: 328-5771 - 328-5772 - 328-5773

This approval terminates within 90 days if the well has not been spudded-in within said period. Enclosed please find Form OGCC-8-X, which is to be completed if water sands (aquifers) are encountered while drilling, particularly accessible near surface water sands. Your cooperation with respect to completing this form will be greatly appreciated.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

CLEON B. YEIGHT EXECUTIVE DIRECTOR

CBF:sh

cc: Rodney Smith, District Engineer U. S. Geological Survey Salt Lake City, Stah September 15, 1966

G. S. Campbell 380 Empire Building Salt Lake City, Utah

> Re: Well No. Government #31-2, Sec. 31, T. 8 S., R. 17 E., Duchesne County, Utah

> > Month of August, 1966

Gentlemen:

Our records indicate that you have not filed a Monthly Report of Operations for the above mentioned month (s), for the subject well. Rule C-22(1), General Rules and Regulations and Rules of Practice and Procedure, Utah State Oil and Gas Conservation Commission, requires that said reports be filed on or before the sixteenth (16) day of the succeeding month. This report may be filed on Form OGCC-1b (U. S. Geological Survey Form 9-331, "Sundry Notices and Reports on Wells"), or on company forms containing substantially the same information. We are enclosing forms for your convenience.

Your immediate attention is required in this matter.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

ANNETTE R. HANSEN RECORDS CLERK

arh

Enclosures: Forms

UNITED STATES SUBMIT DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

5. LEASE DESIGNATION AND SERIAL NO.

(See other instructions on reverse side)

	MPLETION	1 OR REC	OMPLETI	ON F	REPORT	AND I	OG*	6. IF INDIAN, ALL	OTTER OR TRIBE NAM
ia. TYPE OF WEI	LL: OI			F	Other			7. UNIT AGREEME	NT NAME
b. TYPE OF COM					other			7	
NEW X		EEP- PLU	G DIFF	;. []	Other			S. FARM OR LEAS	E NAME
NAME OF OPERA		· L BAC	A C. REST		Other	-		Governa	ent
	Campbell	et at			· ~			9. WELL NO.	
. ADDRESS OF OPE	BRATOR Pire Bull	dina			· · · · · · · · · · · · · · · · · · ·			10. FIELD AND PO	OL. OR WILDCAT
LOCATION OF WE	·	<u>~</u>	in accordance	with any	y State regu	irements)*		Monument	
At surface					· -,				, OR BLOCK AND SURVE
	SE SE 51 terval reported b		17E, S.	L.A.		· · · · ·		OR AREA	
At top prous in	tervar reported b	+				· 1		31, T85-R	1/2
At total depth									
			14. PER	MIT NO.		DATE ISSUE	ID .	12. COUNTY OR PARISE	13. STATE
	and the contract	sure some con-						Trrcvozi	X .
DATE SPUDDED							S (DF, RE	D, 111, GH, 121(1)	ELEV. CASINGHEAD
July 66	9 Aug.		O Septe	aber	1966		K.B.		5253
TOTAL DEPTH, MD		UG, BACK T.D., MI	D & TVD 22.	HOW MA	TIPLE COMPLANY*	., 23.	INTERVAL DRILLED E		CABLE TOOLS
5406	77	126 K.B.				<u>.</u>	>	All	
PRODUCING INTE	RVAL(S), OF THIS	COMPLETION-	TOP, BOTTOM, 1	NAME (M	D AND TVD)	*		2	25. WAS DIRECTIONAL SURVEY MADE
1900 -	5269 (K.	8.)			De	uslas	Creek		No
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			7						
	AND OTHER LOGS		$\overline{}$						WAS WELL CORED
1.E.S.	GRN	(CBI		Cor	relat	lon)	wit	Kon	
		C	ASING RECOR	RD (Repo	ort all string	s set in well			
CASING SIZE	WEIGHT, LB.	/FT. DEPTH	SET (MD)	HOL	e size	130	CEMENTI	NG RECORD	AMOUNT PULLED
5:3/8"		11	4 9	17	1/2"	1	xa C		7.5.5 O c. 1
5/8"	72	161		118		A	7		
1/94	10.		K)	7	7/8"	22	, 		A
		1 177					4		
		LINER RECO	RD			30.		TUBING RECORD	
SIZE	TOP (MD)	BOTTOM (MD)) SACKS CEL	MENT*	SCREEN (M	(D) 8	1ZE	DEPTH SET (MD)	PACKER SET (MD)
			_						
PERFORATION REC	CORD (Interval, 8	ize and number)		82.	ACID, SI	IOT, FRA	CTURE, CEMENT SQU	JEEZE, ETC.
	3 w/.55	14ta	*		DEPTH IN	TERVAL (MD		AMOUNT AND KIND OF	
1. 01*. 0		111.	* *		Brake	dawa	-/	ld and frak	-4 1-4-
), 01±, 0	9 -/_ 367	477							
57¥, 5	9 4/.36"	lete		1					
577, 5	9 */.36" 3 */.36"	Jota				chment			
57¥, 5	9 w/.36" 3 w/.36" 4 w/.36"	jets jets lets							
57 y 5 57 y 5 1 1 2 5 58 59	9 */.36" 5 */.36" 5 */.36"	jets jets		PROD	****				
?71, ? 28, 58	9 */.56* 9 */.56* 9 */.36*	UCTION METHOD	(Flowing, gas		UCTION	chment)	WELL STATU	is (Producing or
58 58		2* * * * * * *	(Flowing, gas		UCTION	chment)	WELL STATU	S (Producing or
58 59 67 5 E FIRST PRODUCT!		OUCTION METHOD OF ING CHOKE SE		s lift, pur	UCTION	chmen!)	WELL STATU	s (Producing or Producing
E FIRST PRODUCT!	966 PU	choke siz		s lift, pur	UCTION mping—size OIL—BBL.	chmen!	pump)	WELL STATU shut-in) WATER—BBL.	S (Producing or
E FIRST PRODUCT! SOP	966 Pu	oping CHOKE SIZ	ZE PROD'N.	FOR BRIOD	UCTION mping—size OIL—BBL.	and type of	pump) —MCF.	WELL STATUS (hut-in) WATER—BBL.	S (Producing or Producing GAS-OIL, RATIO
E FIRST PRODUCT! SOP E OF TEST SOP W. TUBING PRESS.	966 PU HOURS TESTED 24 CASING PRESSU	oping CHOKE SE	PROD'N. TEST PI	FOR ERIOD	UCTION mping—size OIL—BBL.	and type of	pump) —MCF.	WELL STATUS AUG. IN S	Producing or Producing GAS-OIL, RATIO RAVITY-API (CORR.)
E FIRST PRODUCT! SOP E OF TEST SOP V. TUBING PRESS.	966 PU HOURS TESTED 24 CASING PRESSUR 300	CHOKE SE CALCULATE 24-HOUE E	PROD'N. TEST PI BD OIL—BE	FOR ERIOD	UCTION mping—size OIL—BBL.	and type of	pump) —MCF.	WELL STATUS fut-in) WATER—BBL. OIL G	Producing or Producing GAS-OIL RATIO RAVITY-APT (CORR.)
E FIRST PRODUCT! SOP E OF TEST SOP W. TUBING PRESS.	966 PU HOURS TESTED 24 CASING PRESSUR 300	CHOKE SE CALCULATE 24-HOUE E	PROD'N. TEST PI BD OIL—BE	FOR ERIOD	UCTION mping—size OIL—BBL.	and type of	pump) —MCF.	WELL STATUS AUG. IN S	Producing or Producing GAS-OIL RATIO RAVITY-API (CORR.) 53
E FIRST PRODUCT) SOP E OF TEST SOP W. TUBING PRESS.	HOURS TESTED ZA CASING PRESSUE 300 AS (Sold, used for	CHOKE SE CALCULATE 24-HOUE E	PROD'N. TEST PI BD OIL—BE	FOR ERIOD	UCTION mping—size OIL—BBL.	and type of	pump) —MCF.	WELL STATUS fut-in) WATER—BBL. OIL G	Producing or Producing GAS-OIL RATIO RAVITY-APT (CORR.)
E FIRST PRODUCT! SOP E OF TEST SOP W. TUBING PRESS. OO DISPOSITION OF GA	966 PU HOURS TESTED 24 CASING PRESSUE 300 AS (Sold, used for	CHOKE SIZE CALCULATE 24-HOUR B	PROD'N. TEST PI BD OIL—BE	FOR ERIOD	UCTION mping—size OIL—BBL.	and type of	pump) —MCF.	WELL STATUS fut-in) WATER—BBL. OIL G	Producing or Producing or Producing GAS-OIL RATIO RAVITY-APT (CORR.) 53
E FIRST PRODUCTS SOP E OF TEST SOP W. TUBING PRESS. DISPOSITION OF GALLIST OF ATTACHM	HOURS TESTED 24 CASING PRESSUE 300 AS (Sold, used for	CHOKE SIZE CALCULATE 24-HOUR B	PROD'N. TEST PI ED OIL—BE RATE 60.)	FOR BRIOD	UCTION mping—size OIL—BBL. GAS—	and type of	pump) —MCF. WATE	WELL STATUS SHUT-IN SH	FOR (Producing or Froducing or GAS-OIL RATIO RAVITY-APT (CORE.)
E FIRST PRODUCTS SOPE E OF TEST SOPE W. TUBING PRESS. DISPOSITION OF GALLIST OF ATTACHM	HOURS TESTED 24 CASING PRESSUE 300 AS (Sold, used for	CHOKE SIZE CALCULATE 24-HOUR B	PROD'N. TEST PI ED OIL—BE RATE 60.)	FOR BRIOD	UCTION mping—size OIL—BBL. GAS—	and type of	pump) —MCF. WATE	WELL STATUS fut-in) WATER—BBL. OIL G	FOR (Producing or Froducing or GAS-OIL RATIO RAVITY-APT (CORE.)

*(See Instructions and Spaces for Additional Data on Reverse Side)

NSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions. If no file prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments

should be listed on this form, see item 35.

Hem 18. Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

Hems 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion); so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, Hem 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

for each additional interval to be separately produced, showing the additional data pertinent to such interval.

| Fem 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

| Fem 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

	DEPTH	garantinger digitalista. Palita digitalista kan berakansa digitalista.
	VERT.	
<u>.</u>	TRUE	
¥	PTH	
٠.	AS. DI	
	ME	
e j.		and the March Carlos of Section 2015 of the Carlos of Section 2015
. 23		
NAN		
ć		 A service of the servic
	7	
10,		n nombre de l'ambre de proprese de l'instrugues que l'ambre que se que se que l'ambre que se que se que se que La comprese de la co
NAT NO		
•		
CENTE		
1	end in	
		angan kanan dalam dan kecamatan dan kecamatan dan kecamatan dan kecamatan dan kecamatan dan kecamatan dan kecam Menjada bermulah dan
	121. e 1	
Ī		
	-	
		and kan digitar yang mengan kan pengan p Pengan pengan
1		
	· .	
1		
		OFT 4 1986
-1		- A contract of the contract o
	DESCRIPTION, CONTESTAND DAY	MEAS, DEPTH

GRAHAM S. CAMPBELL

PETROLEUM GEOLOGIST . OIL OPERATOR 380 EMPIRE BUILDING . 231 EAST 4TH SOUTH SALT LAKE CITY, UTAH 84111

Government 31-2 Completion Report C SE SE 31. TOS-RITE, S.L.A. Ele. 5265 K.B.

August 17. 1966

Oll Well Perforators, inc ran coment bond log and Gamma Ray Correlation log.

August 18, 1966

Levelled location for completion rig.

August 19. 1966

waiting on rig. (W.O.C.T.) 172 Jts. new 2 3/8" EUE J-55 4.7# tubing delivered.

August 20-23, 1966 August 24. 1966

W.O.C.T.

Perforated 4900, 01 1/2, 03 w/.53 Inch Jets. Ran tubing prep. to breakdown.

August 25. 1966

Replaced casing hanger with 10" x 600 series.

August 26. 1966

Broke down 4900' zone w/200 gal. 15% HCL acid, perforated 4956, 57 1/2, 59 (K.B. datum), broke down w/acid and repeated process in perfs at 5110, 11 1/2, 13, then 5257, 58, 59, then 5266, 67 1/2, 69. All zones broke down with minimum resistance although communication developed in 61 interval between 5259 and 5266. Fraked with 5 Allison pump trucks w/1100 Subtens water, 49000 lbs. 20-40 send and intended to follow w/beads. Frak O.K. at 31 bbis./minute rate but acreened out (atopsed) after sand treatment. Sand in hole.

August 27, 1966

During night storm rig blew down with string of tubing in derrick.

September 5-7, 1966 Debris cleared. Replaced 92 Joints w/new tubing. Ran tubing to 5055' top of sand fill up. Washed eut end cleaned hole to P.B.T.D. 5326 (K.B.) with 170 jts. tubing landed at 5297' (K.B.) (net 5285) with seating nipple at 5268 (K.B.) Ran 14' - 1 1/4" fluid master downhole pump, 112 plain 3/4" rods, 97 scrapered rods, 8' long pony, 6' long pony end pelish rod and seated pump. Released completion rig 6:00 p.m.

November 14, 1966

G. S. Campbell 380 Empire Building Salt Lake City, Utah

> Re: Well No. Government #31-2, Sec. 31, T. 8 S., R. 17 E., Duchesne County, Utah.

Dear Mr. Campbell:

We are in receipt of your well log for the above mentioned well. However, upon checking this information, we note that you did not report the water sands encountered while drilling. Also, it was noted that you have not filed a Cement Bond Log or Correlation Log.

Please complete the enclosed Forms OGCC-8-X, in quadruplicate, and return to this office as soon as possible.

Thank you for your cooperation in this matter.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

SHARON CAMERON RECORDS CLERK

8 C

Enclosure:

Dwights Well Data System CD-ROM Copyright 1991 Rocky Mountains H# R-842017-0 Original Run Date: 13-Jul-92

State: Utah SL Merid 8S - 17E - 31 c se se

County: DUCHESNE Oper: CAMPBELL G S

Compl: 09/20/1966 D O OIL Field: MONUMENT BUTTE

Well: GOVT #31-2
Ftg: 660 fsl 660 fel
Permit #: Well: GOVT #31-2 Last Info: 01/12/1987

06/20/1966 API: 43-013-2008200

Elev: 5265KB

Spud: 07/29/1966

TD: 5406 PB: 5326

_______ Elev: 5265KB FORMATION TOPS (Type: L=Log S=Sample V=True Vertical)

(Source: H=Scout, T=Govt, S=Shell, G=USGS, N=NDGS)

Depth Elev T/S 5222 43 L T 5406 -141 L T Depth Elev T/S Formation 2310 2955 L T Green River Formation Horse Bench Douglas Creek

4764 501 L T TD

<< State Records >>

Casing: 13 3/8 @ 14 w/10 - 8 5/8 @ 168 w/87 - 4 1/2 @ 5355 w/224

Logs : IES GRN CBL

Perfs:

4900-5267

PZone: 4900-5269

IP : 80 BBLS. 20 B frak Water

P 80 BOPD grav 33 20 BWPD

Page: 1

A CO



FORM OGCC-8-X
FILE IN QUADRUPLICATE

STATE OF UTAH OIL & GAS CONSERVATION COMMISSION 348 EAST SOUTH TEMPLE SUITE 301 SALT LAKE CITY, UTAH

REPORT OF WATER ENCOUNTERED DURING DRILLING

Well Name & Number	G. S. CAMPBELL		
GRAHAM S. CAMPBELI Operator	C SESE 31 T85 L Duchesne Co., Uta	ah Ele 5266 KAddress	Phone
Salt Lake City II, Utah Contractor		Inla Co Address Denn	en Colo Phone
Location ½ ½	SecT	N R. E	LL et al Gov't 31.2 County, Utah.
Water Sands:		C SESE 31	T8S-R17E SLM ., Utah Ele 5266 KB
<u>Depth</u>		<u>Volume</u>	Quality
From	To	Flow Rate or Head	Fresh or Salty
1. No mea	Esurable	water flow	en counter of
2		<i>U</i>	
3	· · ·		
4			
5.	· .		
		(Continue	ed on reverse side if necessary
Formation Tops:			
Formation Tops:			
Pomarks.			

Remarks:

NOTE:

- (a) Upon diminishing supply of forms, please inform the Commission.
- (b) Report on this form as provided for in Rule C-20, General Rules and Regulations and Rules of Practice and Procedure, (See back of form).
- (c) If a water analaysis has been made of the above reported zone, please forward a copy along with this form.

OPERATO Attach a	OR CHANGE HORKSHEET Il documentation received by the division regarding this change. each listed item when completed. Write N/A if item is not applicable.	Routing: 1- LCRH 2-DTSDTS 3- VLC
	ge of Operator (well sold) ☐ Designation of Agent ☐ Operator Name Change Only	4- RJF V 5- RWM V 6- ICR/EV
The ope	erator of the well(s) listed below has changed (EFFECTIVE DATE: <u>5-1-91</u>)
TO (nev	woperator) WILDROSE RESOURCES CORP. (address) 2555 CHERRY RIDGE RD. ENGLEWOOD, CO 80111 KARY J. KALTENBACHER phone (303) 761-9831 account no. N 9660 FROM (former operator) (address) 3372 AMERICA PARK CITY, I DAVID WALL phone (801) account no.	AN SADDLER DR. JT 84060 649-8734
Well(s)) (attach additional page if needed):	
Name:_ Name:_ Name:_ Name:_ Name:_	C&O GOVT #1/GRRV API: 43-013-15111 Entity: 6305 Sec 12 Twp 9S Rng 16E Leger Sec 12 Twp 8S Rng 17E Leger Sec 12 Twp 8S Rng 16E Leger Sec 12 Twp 8S Rng	ase Type: <u>U-35521</u> ase Type: <u>U-03552</u> ase Type: <u>U-020</u> 43 ase Type:
OPERATO	DR CHANGE DOCUMENTATION	
fce 1.	(Rule R615-8-10) Sundry or other <u>legal</u> documentation has been receive	d from <u>former</u>
fcf 2.	(Rule R615-8-10) Sundry or other <u>legal</u> documentation has been received fro (Attach to this form). (Lee'd 6-27-91)	m <u>new</u> operator
₩. 2.	operating any wells in Utah. Is company registered with the state? (yes yes, show company file number:	/no) If
	(For Indian and Federal Wells ONLY) The BLM has been contacted regarding (attach Telephone Documentation Form to this report). Make note of comments section of this form. Management review of Federal and Indian changes should take place prior to completion of steps 5 through 9 below.	BLM status in well operator
FGC 5.	Changes have been entered in the Oil and Gas Information System (Wang/IBM) listed above. (8-5-91)	for each well
	Cardex file has been updated for each well listed above.(8-5-91)	
	Well file labels have been updated for each well listed above 18-5-91	
	Changes have been included on the monthly "Operator, Address, and Account for distribution to State Lands and the Tax Commission. $(8-5-9)$	
JCR9.	A folder has been set up for the Operator Change file, and a copy of this placed there for reference during routing and processing of the original do	page has been cuments.

Form 9-331 Dec. 1973

UNITED STATES

JUN 2 7 199

Form Approved. Budget Bureau No. 42–R1424

LEASE		•
	Analiaa.	i.

DEPARTMENT OF	THE	INTERIO	Rowieio	ህ <i>የ</i> ጎታ
GEOLOGICA	L SUF	CVFY	DIAIDIOI IOIOIAIU	

•	11	. 1	IA	DI.	MIY	i, A	LLL	"	1 51	- 0	K I	Kn	3.5	IAW	(yı ı	=
														:		
														-		_

SUNDRY NOTICES AND REPORTS ON WELLS	7. UNIT AGREEMENT NAME
(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)	8. FARM OR LEASE NAME
1 oil — gas —	Gevt
well well other	9. WELL NO.
2. NAME OF OPERATOR	31-2
Wildrose Resources Corporation 3. ADDRESS OF OPERATOR PH: 303-761-9831	10. FIELD OR WILDCAT NAME Monument Butte
2555 Cherryridge Rd, Englewood, CO 80110	11. SEC., T., R., M., OR BLK. AND SURVEY OR
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17	AREA Sec. 12, T9S, R16E
below) AT SURFACE: SR ¹ 2SE ¹	12. COUNTY OR PARISH 13. STATE
AT TOP PROD. INTERVAL: same	Duchesne Utah
AT TOTAL DEPTH: same	14. API NO.
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA	4301320082 / 15. ELEVATIONS (SHOW DF, KDB, AND WD)
·	23. ELEVATIONS (SHOW DI, RDB, AND WD)
REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:	6.
FRACTURE TREAT	· · · · · · · · · · · · · · · · · · ·
SHOOT OR ACIDIZE U	(NOTE: Parent results of multiple annulation
PULL OR ALTER CASING	(NOTE: Report results of multiple completion or zone change on Form 9–330.)
MULTIPLE COMPLETE	
ABANDON*	
(other) Change of Operator	ong ang kanang kana Kanang kanang kanan
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state including estimated date of starting any proposed work. If well is d measured and true vertical depths for all markers and zones pertinent	irectionally drilled, give subsurface locations and
Wildrose Resources Corporation has taken ove	r as Operator of the above wells
effective May 1, 1991, from G.S. Campbell.	Wildrose has taken a Record
Title Assignment on the above lease and has Assignments to your state office for approva	
•	
Wildrose has a Statewide Federal Oil and Gas wells. Our Bond Number is 229352 with Allie	d Mutual Insurance Company and
was approved by the B.L.M. en October 26, 19	87.
Any questions regarding this lease should be	
with Wildrose at 303-761-9831.	
	2018 10 9890
	20/4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Subsurface Safety Valve: Manu. and Type	Set @ Ft.
18. I hereby certify that the foregoing is true and correct	Year of the second

TITLE Vice President (This space for Federal or State office use) DATE APPROVED BY ________CONDITIONS OF APPROVAL, IF ANY: _ TITLE _

STATE OF UTAH DEPARTMENT OF TURAL RESOURCES DIVISION OF OIL, GAS AND MINING

6. Lease Designation and Serial Number	
U-020433	

SUNDRY NOTICES AND REPORTS O	7. Indian Allottee of Tribe Name
Do not use this form for proposals to drill new wells, deepen existing wells, or to re	enter plugged and abandoned wells. 8. Unit or Communitization Agreement
Use APPEICATION FOR PERMIT— for such proper	Peals
1. Type of Well Oil Gas Other (specify) Well Well	9. Well Name and Number GOY'T 31.2
2. Name of Operator G. S. CAMPBELL (801) 645	10. API Well Number 4301320082
3. Address of Operator PARK CITY 3372 Am. SADDLER DR. UT	4. Telephone Number 11. Field and Pool, or Wildcat 80/6498734 MONUMENT BUTTE
5. Location of Well	F Augusta
QQ, Sec, T., R., M. :	State : UTAH
12. CHECK APPROPRIATE BOXES TO INDICATE NA NOTICE OF INTENT	ATURE OF NOTICE, REPORT, OR OTHER DATA SUBSEQUENT REPORT
(Submit in Duplicate)	(Submit Original Form Only)
Abandonment New Construction Casing Repair Pull or Alter Casing Change of Plans Recompletion Shoot or Acidize Fracture Treat Vent or Flare Multiple Completion Water Shut-Off Other Change of Operator	Abandonment * New Construction Casing Repair Pull or Alter Casing Change of Plans Shoot or Acidize Conversion to Injection Vent or Flare Fracture Treat Water Shut-Off Other
Approximate Date Work Will Start	Date of Work Completion
	Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION AND LOG form. * Must be accompanied by a cement verification report.
13. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all perti- locations and measured and true vertical depths for all markers and zones perti-	inent details, and give pertinent dates. If well is directionally drilled, give subsurface
•	change of Operator, eff-
WILDROSE RESOURCES	CORPORATION
2555 Cherryridge Rd.	
Englewood CO 80110	(303)-761 9831
Frankam S. Campbell	JUL 0 5 1991
1	DIVISION OF
14. I hereby certify that the foregoing is true and correct	OIL GAS & MINING
Name & Signature / S. Camphell	Title Operator Date 2 JUL '91
(State Use Only)	

	STATE	OF UTAH	
DIVISION	OIL,	GAS AND	MINING


DIVISION OIL, GAS AND MINN	5. Lease Designation and Serial Number:
	U-020433
SUNDRY NOTICES AND REPORTS	6. If Indian, Allottee or Tribe Name;
SUNDRY NOTICES AND REPORTS	
Do not use this form for proposals to drill new wells, deepen existing wells, or to reent Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for s	7. Unit Agreement Name: uch proposals.
	8. Well Name and Number:
1. Type of Well: OIL GAS OTHER:	Gov't. #31-Z
2. Name of Operator: Wildrese Resources C	9. API Well Number: 430/370087
	3 03 - 10. Field and Pool, or Wildcat:
4949 S. Albion St. Little ton, Cu	B0121 770-6566 Monument Butte
4. Location of Well Footages: 660 FSL & 660 FEL	county: Duchesne
∞, Soc., T., R.M.: SE/SE Sec. 31, T85, RI	7E State: Utah
	ATURE OF NOTICE, REPORT, OR OTHER DATA
NOTICE OF INTENT	SUBSEQUENT REPORT
(Submit in Duplicate)	(Submit Original Form Only)
☐ Abandon ☐ New Construction	Abandon New Construction
Repair Casing Pull or Alter Casing	Repair Casing Pull or After Casing
☐ Change of Plans ☐ Recomplete	Change of Plans Reperforate
Convert to Injection Reperforate	Convert to Injection Vent or Flare
☐ Fracture Treat or Acidize ☐ Vent or Flare	Fracture Treat or Acidize
☐ Multiple Completion ☐ Water Shut-Off	Nother Re-perforate existing zones
Other	2/-62
	Date of work completion $\frac{2/5/97}{}$
Approximate date work will start	Report results of Multiple Completione and Recompletione to different reservoirs on WELL COMPLETION OR RECOMPLETION REPORT AND LOG form.
·	Must be accompanied by a cement verification report.
 DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and givertical depths for all markers and zones pertinent to this work.) 	
The following zones were	perforated using a 31/2" ob
Casing gun46" OD ho	les - 34" pene tretion:
5255' - 5269' W/ Z	and (no Holes)
·	
5109'- 5112' W/2 S	PF (6 Holes)
4953' - 4958' W/ Z	SPF (10 Holes)
These 3 zones were alrea	edy open. Well was put
back on rod pump 2/5/9.	7. No increase in production
wes seen.	
13.	
Name & Signature: Hay A. Katterlock	Title: V. P Date: 10/6/9.7
(This apace for State use only)	
	S on Reverse Side) DECEIVE OCT 0 9 1997
(4)94) (See Instructions	DIV OF OU
	DIV. OF OIL, GAS & MINING
h.	DALLAN

WO tax credit 12/97.



United States Department of the Interior

BUREAU OF LAND MANAGEMENT
Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155



IN REPLY REFER TO UT-931

November 20, 1997

Inland Production Company c/o UnitSource Incorporated 11184 Huron Street, Suite 16 Denver, Colorado 80234

Gentlemen:

The Sand Wash (Green River) Secondary Recovery Unit Agreement, Duchesne County, Utah, was approved November 20, 1997. This agreement has been designated No. UTU76788X, and is effective December 1, 1997. The unit area embraces 1,444.06 acres, more or less.

Pursuant to regulations issued and effective June 17, 1988, all operations within the Sand Wash (Green River) Secondary Recovery Unit will be covered by your statewide (Utah) oil and gas bond No. 0056.

The following leases embrace lands included within the unit area:

UTU020433

*UTU50376

*UTU71368

*UTU74869

* Indicates lease to be considered for segregation by the Bureau of Land Manage-ment pursuant to Section 18 (g) of the unit agreement and Public Law 86-705.

All lands and interests by State of Utah, Cause No. 229-2 are fully committed.

Approval of this agreement does not warrant or certify that the operator thereof and other holders of operating rights hold legal or equitable title to those rights in the subject leases which are committed hereto.

We are of the opinion that the agreement is necessary and advisable in the public interest and for the purpose of more properly conserving natural resources. Enclosed is one copy of the approved unit agreement for your records. We request that you furnish the State of Utah and all other interested principals with appropriate evidence of this approval.

Sincerely,

/s/ Robert A. Henricks

Robert A. Henricks Chief, Branch of Fluid Minerals

Enclosure

bcc: Mineral Adjudication Group w/enclosure

MMS - Data Management Division (Attn: Rose Davalos)

Trust Lands Administration Sovereign Lands & Forestry

Division of Oil, Gas and Mining

District Manager - Vernal w/enclosure

File - Sand Wash (Green River) Unit w/enclosure


Agr. Sec. Chron

Fluid Chron

UT931:TAThompson:tt:11/20/97

SAND WASH (GREEN RIVER) UNIT Duchesne County, Utah

EFFECTIVE: DECEMBER 1, 1997



17E

1,444.06 ACRES

SECONDARY ALLOCATION

FEDERAL 96.94% FEE 3.06% Form 3160~5 (December 1989)

UNITED STATES DEPARTMENT OF THE INTERIOR

FORM APPROVED Budget Bureau No. 1904-0135 Expires: September 30, 1990

BUREAU OF LAND MANAGEMENT 5. Lease Designation and Serial No. U-020433 SUNDRY NOTICES AND REPORTS ON WELLS 6. If Indian, Allottee or Tribe Name Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT-" for such proposals 7. If Unit or CA, Agreement Designation SUBMIT IN TRIPLICATE 1. Type of Well Oil Gas Well Other 8. Well Name and No. #31-2 2. Name of Operator
WILD ROSE RESOURCES CORPORATION 9. API Well No. 43-013-20082 3. Address and Telephone No. 4949 So. ALBION ST, LITTLETON CO., BOIZI-2003 10. Field and Pool, or Exploratory Area
MONUMENT BUTTE 4. Location of Well (Footage, Sec., T., R., M., or Survey Description) 11. County or Parish, State 785, RITE, Sec 31, SE SE DUCKESNE CO., UTAH CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA 12. TYPE OF SUBMISSION TYPE OF ACTION Notice of Intent Abandonment Change of Plans Recompletion New Construction Subsequent Report Plugging Back Non-Routine Fracturing Casing Repair Water Shut-Off Final Abandonment Notice Altering Casing Conversion to Injection OPERATOR CHANGE (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) 13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)* WILDROSE RESOURCES CORPORATION is no longer Operator THIS well was put in the SAND WASH UNIT. DIV. OF OIL, GAS & MINING 14. I hereby certify that the foregoing is true and correct Date MARCH 23, 1998 PRESIDENT (This space for Federal or State office use) Approved by ______ Conditions of approval, if any: Title

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

FORM 3160-5

ITED STATES	
TMENT OF THE INTERIOR	

FORM APPROVED

(June 1990)		NT OF THE INTERIOR LAND MANAGEMENT	Budget Bureau No. 1004-0135 Expires: March 31, 1993
			5. Lease Designation and Serial No.
	SUNDRY NOTICES AN	D REPORTS ON WELLS	U-020433
Do not use th		epen or reentry a different reservoir.	6. If Indian, Allottee or Tribe Name
	Use "APPLICATION I	FOR PERMIT -" for such proposals	NA NA
	SUBMIT IN	I TRIPLICATE	7. If Unit or CA, Agreement Designation NA
1. Type of Well			
X Oil	Gas		8. Well Name and No.
Well	Well Other		GOVT #31-2
2. Name of Operato	r		9. API Well No. 43-013-20082
•	PRODUCTION COMPANY		10. Field and Pool, or Exploratory Area
3. Address and Tele			MONUMENT BUTTE
410 17TH	ST., SUITE 700, DENVER, CO	DLORADO 80202 (303) 893-1020	11. County or Parish, State
4. Location of Well	(Footage, Sec., T., R., m., or Survey Description)		
0660 FSL	0660 FEL SE/SE Section	31, T08S R17E	DUCHESNE COUNTY, UTAH
12.	CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, RE	PORT, OR OTHER DATA
TYP	PE OF SUBMISSION		OF ACTION
	X Notice of Intent	Abandonment	Change of Plans
	Subsequent Report	Recompletion Plugging Back	New Construction Non-Routine Fracturing
	sussequent respect	Casing Repair	Water Shut-Off
	Final Abandonment Notice	Altering Casing	Conversion to Injection
		X Other Change of Operator	Dispose Water
			(Note: Report results of multiple completion on Well
13 Describe Proposed	or Completed Operations (Classiv state all partinent data	ils, and give pertinent dates, including estimated date of starting any p	Completion or Recompletion Report and Log form.)
	subsurface locations and measured and true vertical dept		proposed work. If well is direction-
		,	
Effective	December 1 1007 Inland I	Production Company will take over	operations of the above referenced
		roduction company win take over	The second control of
well. Ill	e previous operator was:		
		Wildrose Resources Corp.	The state of the s
		4949 S. Albion St.	
		Littleton, CO 80121	
			CHARLES CALLANDER
Effective	December 1 1997 Inland	Production Company is responsible	under the terms and conditions of
uie leases	s for operations conducted o	if the leased lands or a portion the	reof under BLM Bond No.UT0056

issued by The Hartford Insurance Group.

Signed	Sharmon Smith	Title	Engineering Secretary	Date	3/27/98
(This space for I	Federal or State office use)				
Approved by		Title		Date	



March 27, 1997

1998

Bureau of Land Management Vernal District Office, Division of Minerals 170 South 500 East Vernal, Utah 84078

Attn: Mr. Edwin I. Forsman

Re: Change of Operator

Dear Mr. Forsman:

Enclosed are the above referenced documents providing 'Change of Operator' for the Harbour Town Federal 31-30 and Govt 31-2 wells. If you should have any questions, please contact me at (303) 382-4441.

Sincerely,

Shannon Smith

Engineering Secretary

Enclosures

Cc: State of Utah, Division of Oil, Gas and Mining

P.O. Box 145801

Salt Lake City, Utah 84114-5801

Shannan Smith

Well File – Denver Well File – Roosevelt

5	OPERATOR INLAND PRODUCTION CO ADDRESS	OPERATOR ACCT. NO.	<u>n</u> 5160

ACTION CODE	CURRENT ENTITY NO.	HEW ENTITY NO.	API NUMBER	WELL NAME			WELL	ĻQCATIO	<u> </u>	SPUD	EFFECTIVE
С	12097	12308	43-013-31758	HARBOUR TOWN 31-30	00	30 30	1P 8S	RG	COUNTY	DATE	DATE
MELL 1 C	OHHENTS:					30	05	17E	DUCHESNE		12-1-97
MELL I C	OUNEHI2:	*SAND WA	ASH (GR) UNIT E	FF 12-1-97, OPERATOR REQ	UEST.						- I
											:
С	6300	12308	43-013-20082	GOVERNMENT 31-2		31	88	17E	DUCHESNE		12-1-97
WELL 2 C	OMMENTS:					1	<u> </u>	<u> </u>			
									pr.		•
	7				,						
							7	1			T
WELL 3 C	UHMENTS ·	1							-		
							γ	Т			
1511 1 6								,			
WELL 4 C	טשויונוון 5:						*	.	· <u>-</u>		
				•		:					
					·	·	,	γ			
WELL 5 CO	omments:				· · · · · · · · · · · · · · · · · · ·						<u> </u>
				· ~							
ACTION CO	ODES (Sec in	Istructions	on back of form)			· · · · · · · · · · · · · · · · · · ·			.0		
A -	· ESCAULISH	new entity	for new well (sing)						L. CORDOVA	(DOGM)	
ñ -	Re-assign	well from o	ne existing entity						Signature		
Ε -	Other (exp	lain in com	ments section)	to a new entity					ADMIN. ANA	LYST	4-23-98
	e COHNENT s	ection to e	xplain why each Act	ion Code was selected.					Phone No. (Date '
(3/89)											

Division of Oil, Gas and Mining

OPERATOR CHANGE WORKSHEET

Attach all documentation received by the division regarding this change. Initial each listed item when completed. Write N/A if item is not applicable.

Routing	
1-1/AC	6-LEC
2 -GLH-	7-KAS
3-DTS-	8-SI i
4-VLD	9-FILE
5-JRB	

		ignation of Operator (well sold) □ Designation of Agent □ Operator Name Change Only
The	ope	rator of the well(s) listed below has changed, effective: 12-1-97
TO	(ne	w operator) INLAND PRODUCTION CO FROM: (old operator) WILDROSE RESOURCES CORP
		(address) PO BOX 1446 (address) 4949 S ALBION ST
		ROOSEVELT UT 84066 LITTLETON CO 80121
		Phone: (435)722-5103 Account no. N5160 Phone: (303)770-6566 Account no. N9660
WE	LL(*SAND WASH (GR) SEC. REC. UNIT
Name Name Name Name Name Name	: <u>G</u> :: ::: ::: :::	API: 43-013-31758 Entity: 12097 S 30 T 8S R 17E Lease: U71368 Entity: Entity: S T R Lease: U020433 Entity: S T R Lease: Lease: Entity: S T R Lease: Entity: Entity: Entity: S T Entity: Entity
O PI	ERA	TOR CHANGE DOCUMENTATION
Lec	1.	(r649-8-10) Sundry or other legal documentation has been received from the FORMER operator (attach to this form). (lec'd 3-26-98)
<u>lu</u>	2.	(r649-8-10) Sundry or other legal documentation has been received from the NEW operator (Attach to this form). (fee'd 3-30-97)
<u>rv/</u> a	3.	The Department of Commerce has been contacted if the new operator above is not currently operating any wells in Utah. Is the company registered with the state? (yes/no) If yes, show company file number:
HC HC	4.	FOR INDIAN AND FEDERAL WELLS ONLY. The BLM has been contacted regarding this change. Make note of BLM status in comments section of this form. BLM approval of Federal and Indian well operator changes should ordinarily take place prior to the division's approval, and before the completion of steps 5 through 9 below.
Lic	5.	Changes have been entered in the Oil and Gas Information System (3270) for each well listed above.
<u>Jec</u>	6.	Cardex file has been updated for each well listed above. (4-23-98)
Lec 1	7.	Well file labels have been updated for each well listed above. (4-23-98)
<u>Lic</u>	8.	Changes have been included on the monthly "Operator, Address, and Account Changes" memo for distribution to Trust Lands, Sovereign Lands, UGS, Tax Commission, etc. (423.18)
Hec Hec	9.	A folder has been set up for the Operator Change file , and a copy of this page has been placed there for reference during routing and processing of the original documents.

OI MIUII	FOR CHANGE WORKSHEET (continued) - Initial each item when completed. Write N/A if item is not applicable.
0	Y REVIEW
J	(r649-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made (yes/no) If entity assignments were changed, attach copies of Form 6, Entity Action Form.
<u>lec</u> 2.	Trust Lands, Sovereign Lands, Tax Commission, etc., have been notified through normal procedures of entit changes.
BOND V	VERIFICATION - (FEE WELLS ONLY)
Major 1.	(r649-3-1) The NEW operator of any fee lease well listed above has furnished a proper bond.
	A copy of this form has been placed in the new and former operator's bond files.
3.	The FORMER operator has requested a release of liability from their bond (yes/no), as of today's date If yes, division response was made to this request by letter dated
LEASE 1	INTEREST OWNER NOTIFICATION OF RESPONSIBILITY
NA/Jec 1.	Copies of documents have been sent on to at Trust Lands for changes involving State leases, in order to remind that agency of their responsibility to review for proper bonding.
NA/2.	(r649-2-10) The former operator of any fee lease wells listed above has been contacted and informed by letter dated 19, of their responsibility to notify all interest owners of this change.
FILMIN	G
b 1.	All attachments to this form have been microfilmed . Today's date: 4.39.98.
FILING	
<u>CH</u> D 1.	Copies of all attachments to this form have been filed in each well file.
<u>HP</u> 2.	The original of this form, and the original attachments are now being filed in the Operator Change file.
СОММЕ	NTS
980423 Into	blm /51 & Vernal Ope, the effective when unit approved; no add'I required from wildress or Island; open Inland.

FORM 3160-5 (June 1990)

UNITED STATES

	MIEDSIAIES
DEPAR	ENT OF THE INTERIOR
BUREAU	OF LAND MANAGEMENT

1	FORM APPROVED
1	Budget Bureau No. 1004-013
	- 1 14 1 21 1003

Expires:	March 31, 1993	

i	Expires: March 31, 1993
	5. Lease Designation and Serial No
	U-020433

-	U-0204	
- 1	U-0404	•

SUNDRY NOTICES AN	D REPORTS ON WELLS	U-020433
Do not use this form for proposals to drill or to de	epen or reentry a different reservoir.	6. If Indian, Allottee or Tribe Name
Use "APPLICATION F	OR PERMIT -" for such proposals	_ NARECEIVED
	I TRIPLICATE	7. Winit of CA, Agreement Designation
I. Type of Well X Oil Gas Well Other		8. Well Name and No. GOVT #31-2
		9. API Well No. 43-013-20082
2. Name of Operator INLAND PRODUCTION COMPANY		10. Field and Pool, or Exploratory Area
3. Address and Telephone No.	(202) 002 1020	MONUMENT BUTTE
410 17TH ST., SUITE 700, DENVER, CO 4. Location of Well (Footage, Sec., T., R., m., or Survey Description)	DLORADO 80202 (303) 893-1020	11. County or Parish, State
0660 FSL 0660 FEL SE/SE Section	31, T08S RA7E	DUCHESNE COUNTY, UTAH
12. CHECK APPROPRIATE BOX(s	TO INDICATE NATURE OF NOTICE, REPO	RT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF	ACTION
X Notice of Intent Subsequent Report Final Abandonment Notice	Abandonment Recompletion Plugging Back Casing Repair Altering Casing X Other Change of Operator	Change of Plans New Construction Non-Routine Fracturing Water Shut-Off Conversion to Injection Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)
13. Describe Proposed or Completed Operations (Clearly state all pertinent det	cite and give partinent dates including estimated date of starting any propo	
Effective December 1, 1997, Inland well. The previous operator was:	Production Company will take over of Wildrose Resources Corp.	VERNAL DET.
	4949 S. Albion St.	GEOL.
	Littleton, CO 80121	E.S
Effective December 1, 1997, Inland the leases for operations conducted issued by The Hartford Insurance Gr	Production Company is responsible to on the leased lands or a portion there oup.	inder Ale terms and conditions of of under BLM Bond No.UT0056
14. I hereby certify that the foregoing is true and correct		
Signed Sharman Survey San to	Title Engineering Secretary	Date 3/27/98
(This space for Federal or State office use).		Date APR 2 2 1998
Approved by Conditions of approval, if any:	Title	Date <u>APR 2 2 1998</u>

CC: UTAH DOGM

د خروه دی ور د در دره دی ور

	OF LAND MANAGEMENT	Expires: March 31, 1993
SUNDRY NOTICES	AND REPORTS ON WELLS	5. Lease Designation and Serial No. U-020433
Do not use this form for proposals to drill or t	•	6. If Indian, Allottee or Tribe Name
Use "APPLICATIO	ON FOR PERMIT -" for such proposals	NA
		+
CLIDAL	T IN TRIPLICATE	7. If Unit or CA, Agreement Designation
1. Type of Well	TINTRIPLICATE	- Sand Wash
X Oil Gas	DE051)/55	8. Weil Name and No.
Weil Weil Other	RECEIVED	GOVT #31-2 9. API Well No.
2. Name of Operator	APR 0.2 1998	43-013-20082
WILDROSE RESOURCES CORP.		10. Field and Pool, or Exploratory Area MONUMENT BUTTE
3. Address and Telephone No. 4949 S. ALBION ST., LITTLETON,	COLORADO 80121	11. County or Parish, State
4. Location of Weil (Footage, Sec., T., R., m., or Survey Descrip	tion) .	DUCTIESNE COUNTY LITAU
0660 FSL 0660 FEL SE/SE Sec	ction 31, T08S R17E	DUCHESNE COUNTY, UTAH
12. CHECK APPROPRIATE BO	DX(s) TO INDICATE NATURE OF NOTICE, REPOR	T, OR OTHER DATA
TYPE OF SUBMISSION	1YPE OF A	CTION
X Notice of Intent	Abandonment	Change of Plans
Subsequent Parort	Recompletion Plugging Back	New Construction Non-Routine Fracturing
Subsequent Report	Casing Repair	Water Shut-Off
Final Abandonment Notice	Altering Casing	Conversion to Injection Dispose Water
:	X Other Change of Operator	(Note: Report results of multiple completion on Well
ally drilled, give subsurface locations and measured and true verti	ent details, and give pertinent dates, including estimated date of starting any propose cal depths for all markers and zones pertinent to this work.)*	
Effective December 1, 1997, Inla	nd Production Company will take over op	erations of the above referenced
well. The previous operator was:		VERNAL DET.
		BNG.
	Wildrose Resources Corp.	GEOL.
	4949 S. Albion St.	
	Littleton, CO 80121	E.S.
		PET.
Effective December 1, 1997, Inle	and Production Company is responsible ur	ider the terms and conditions of
	ed on the leased lands or a portion thereo	f under BLM Bond No. 010036
issued by The Hartford Insurance	Group.	•
14. I hereby certify that the foregoing is true and correct		Date 3/27/98
Signed Tary tallen	Co. Title V.P	
0		
(This space for Federal or State office use)		
Approved by	Title	Date <u>APR 2 2 1948</u>
Conditions of approval, if any:		
CC: UTAH DOGM	tron knowingly and willfully to make to any department or agency of the L	inited States any false, fictitious

OMITED STATES

FOKM 3100-3

FORM 3160-5 (June 1990)

UNITED STATES

FORM APPROVED
Budget Bureau No. 1004-0135
 Expires: March 31 1003

DEP	MENT OF THE INTERIOR	
BURE	AU OF LAND MANAGEMENT	

	١٥.	Lease	L
INDDV NOTICES AND DEDODES ON WELLS	ĺ	TIC	ì

SUNDRY NOTICES AN	D REPORTS ON WELLS	U-020433
Do not use this form for proposals to drill or to de Use "APPLICATION F	epen or reentry a different reservoir. FOR PERMIT -" for such proposals	6. If Indian, Allottee or Tribe Name NA
	I TRIPLICATE	7. If Unit or CA, Agreement Designation SAND WASH (GR RVR)
1. Type of Well X Oil Gas Well Well Other		8. Weil Name and No. GOVT #31-2
2. Name of Operator	·	9. API Well No. 43-013-20082
3. Address and Telephone No.		10. Field and Pool, or Exploratory Area MONUMENT BUTTE
475 17TH STREET, SUITE 1500, DENVE	R, COLORADO 80202 (303) 292-0900	11. County or Parish, State
4. Location of Well (Footage, Sec., T., R., m., or Survey Description) 0660 FSL 0660 FEL SE/SE Section	31, T08S R17E	DUCHESNE COUNTY, UTAH
) TO INDICATE NATURE OF NOTICE, REPOR	T, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF A	CTION
Notice of Intent X Subsequent Report Final Abandonment Notice	Abandonment Recompletion Plugging Back Casing Repair Altering Casing X Other Site Security	Change of Plans New Construction Non-Routine Fracturing Water Shut-Off Conversion to Injection Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)
Attached please find the site security		V 02 1998 L, GAS & MINING
14. I hereby certify that the foregoing is true and correct Signed Schlein & Mug	Title Manager, Regulatory Complia	nce Date 10/28/98
(This space for Federal or State office use) Approved by Conditions of approval, if any:	Title	Date

CC: UTAH DOGM


Inland Production Company Site Facility Diagram

Government 31-2

SE/SE Sec. 31, T8S, 17E

Duchesne County

Sept. 17, 1998



Site Security Plan is held at the Roosevelt Office, Roosevelt Utah

Production Phase:

- 1) Valves 1, and 3 sealed closed
- 2) Valve 2 sealed open

Sales Phase:

- 1) Valves 2, & 3, sealed closed
- 2) Valves 1 open

Draining Phase:

1) Valve 3 open

Legend

Emulsion Li	ne
Load Line	
Water Line	
Gas Sales	

Division of Oil, Gas and Mining

OPERATOR CHANGE WORKSHEET

ROUTING 1. GLH

2. CDW 3. FILE

Change of Operator (Well Sold)

Designation of Agent/Operator

X Operator Name Change

Merger

The operator of the well(s) listed below has cha	inged	, effecti	ive:	salet fam. o	·	9/1/2004		
FROM: (Old Operator):				TO: (New Or	perator):			
N5160-Inland Production Company				N2695-Newfie		n Company		:
Route 3 Box 3630				Route 3	Box 3630			
Myton, UT 84052				Myton,	UT 84052			
Phone: 1-(435) 646-3721			:	Phone: 1-(435)	646-3721			
CA No.				Unit:	SAI	ND WASH	(GREEN F	RIVER)
WELL(S)								
NAME	SEC	TWN	RNG	API NO		LEASE	WELL	WELL
					NO	TYPE	TYPE	STATUS
BOUNDARY FED 13-19-8-17				4301331625	<u></u>	Federal	WI	Α
TAR SANDS FED 12-30	30	080S		4301331543		Federal	OW	P
TAR SANDS FED 5-30	30			4301331620		Federal	WI	A
TAR SANDS FED 4-30	30			4301331621		Federal	OW	P
TAR SANDS FED 13-30	30	080S	170E	4301331637	12308	Federal	WI	Α .
TAR SANDS FED 16-30	30	080S	170E	4301331708	12308	Federal	OW	P
TAR SANDS FED 14-30	30	080S	170E	4301331711	12308	Federal	OW	P
TAR SANDS 6-30-8-17	30	080S	170E	4301331712		Federal	OW	P
TAR SANDS FED 11-30	30	080S	170E	4301331732	12308	Federal	WI	A
TAR SANDS FED 3-30	30	080S	170E	4301331755	12308	Federal	WI	A
HARBOUR TOWN FED 31-30	30	080S	170E	4301331758	12308	Federal	OW	P
TAR SANDS FED 7-30	30	080S	170E	4301331807	12308	Federal	WI	A
TAR SANDS FED 10-30	30	080S	170E	4301331808	12308	Federal	OW	P
GOVERNMENT 31-2	31	080S	170E	4301320082	12308	Federal	OW	P
TAR SANDS FED 4-31	31	080S	170E	4301331606	12308	Federal	OW	P
TAR SANDS FED 5-31	31	080S	170E	4301331607	12308	Federal	WI	A
TAR SANDS FED 8-31	31	080S	170E	4301331615	12308	Federal	OW	P
TAR SANDS FED 9-31	31	080S	170E	4301331616	12308	Federal	OW	P
TAR SANDS FED 1-31	31	080S	170E	4301331654	12308	Federal	WI	A
TAR SANDS FED 7-31	31	080S	170E	4301331684	12308	Federal	WI	A
TAR SANDS FED 6-31	31	080S	170E	4301331686	12308	Federal	OW	P
TAR SANDS FED 3-31	31	080S	170E	4301331733	12308	Federal	WI	A

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

(R649-8-10) Sundry or legal documentation was received from the FORMER operator on: 9/15/2004
 (R649-8-10) Sundry or legal documentation was received from the NEW operator on: 9/15/2004

3. The new company was checked on the Department of Commerce, Division of Corporations Database on: 2/23/2005

4. Is the new operator registered in the State of Utah: YES Business Number: 755627-0143

5. If **NO**, the operator was contacted contacted on:

a. (R649-9-2)Waste Management Plan has been received on:	IN PLACE		
b. Inspections of LA PA state/fee well sites complete on:	waived		
Federal and Indian Lease Wells: The BLM and or t			
or operator change for all wells listed on Federal or Indian lea	ises on:	BLM	BIA
Federal and Indian Units:			
The BLM or BIA has approved the successor of unit operate	or for wells listed on	:	n/a
 Federal and Indian Communization Agreement The BLM or BIA has approved the operator for all wells list 	•		no/
The BLM of BIA has approved the operator for an wens his	ted within a CA on.		na/
0. Underground Injection Control ("UIC") The	Division has approv	ed UIC Form	5, Transfer of Authority to
Inject, for the enhanced/secondary recovery unit/project for the	he water disposal we	ll(s) listed on:	2/23/2005
ATA ENTRY:			
Changes entered in the Oil and Gas Database on:	2/28/2005		
Changes have been entered on the Monthly Operator Change	ge Spread Sheet on:		28/2005
Bond information entered in RBDMS on:	2/28/2005		
Fee/State wells attached to bond in RBDMS on:	2/28/2005		
Injection Projects to new operator in RBDMS on:	2/28/2005		
Receipt of Acceptance of Drilling Procedures for APD/New o	n:	waived	
EDERAL WELL(S) BOND VERIFICATION:			
Federal well(s) covered by Bond Number:	UT 0056		
NDIAN WELL(S) BOND VERIFICATION:			
Indian well(s) covered by Bond Number:	61BSBDH2912		
EE & STATE WELL(S) BOND VERIFICATION:	•		
(R649-3-1) The NEW operator of any fee well(s) listed covered		61 BS	BDH29 19
· · · · · · · · · · · · · · · · · · ·		- Charles	<u> </u>
The FORMER operator has requested a release of liability from	m their bond on:	n/a*	
The Division sent response by letter on:	n/a		
EASE INTEREST OWNER NOTIFICATION:			
(R649-2-10) The FORMER operator of the fee wells has been	contacted and inform	ned by a letter	from the Division
of their responsibility to notify all interest owners of this chang		n/a	
OMMENTS:		-	
Sond rider changed operator name from Inland Production Comp	oany to Newfield Pro	duction Comp	any - received 2/23/05



United States Department of the Interior



BUREAU OF LAND MANAGEMENT Utah State Office P.O. Box 45155 Salt Lake City, UT 84145-0155 http://www.blm.gov

IN REPLY REFER TO: 3106 (UT-924)

September 16, 2004

Memorandum

To:

Vernal Field Office

From:

Acting Chief, Branch of Fluid Minerals

Subject:

Merger Approval

Attached is an approved copy of the name change recognized by the Utah State Office. We have updated our records to reflect the merger from Inland Production Company into Newfield Production Company on September 2, 2004.

Milas Llouters

Michael Coulthard Acting Chief, Branch of Fluid Minerals

Enclosure

1. State of Texas Certificate of Registration

cc:

MMS, Reference Data Branch, James Sykes, PO Box 25165, Denver CO 80225 State of Utah, DOGM, Attn: Earlene Russell, PO Box 145801, SLC UT 84114

Teresa Thompson Joe Incardine Connie Seare





Office of the Secretary of State

The undersigned, as Secretary of State of Texas, does hereby certify that the attached is a true and correct copy of each document on file in this office as described below:

Newfield Production Company Filing Number: 41530400

Articles of Amendment

September 02, 2004

In testimony whereof, I have hereunto signed my name officially and caused to be impressed hereon the Seal of State at my office in Austin, Texas on September 10, 2004.





Secretary of State

ARTICLES OF AMENDMENT TO THE ARTICLES OF INCORPORATION OF INLAND PRODUCTION COMPANY

In the Office of the Secretary of State of Texas

SEP 02 2004

Corporations Section

Pursuant to the provisions of Article 4.04 of the Texas Business Corporation Act (the "TBCA"), the undersigned corporation adopts the following articles of amendment to the articles of incorporation:

ARTICLE 1 - Name

The name of the corporation is Inland Production Company.

ARTICLE 2 - Amended Name

The following amendment to the Articles of Incorporation was approved by the Board of Directors and adopted by the shareholders of the corporation on August 27, 2004.

The amendment alters or changes Article One of the Articles of Incorporation to change the name of the corporation so that, as amended, Article One shall read in its entirety as follows:

"ARTICLE ONE - The name of the corporation is Newfield Production Company."

ARTICLE 3 - Effective Date of Filing

This document will become effective upon filing.

The holder of all of the shares outstanding and entitled to vote on said amendment has signed a consent in writing pursuant to Article 9.10 of the TBCA, adopting said amendment, and any written notice required has been given.

IN WITNESS WHEREOF, the undersigned corporation has executed these Articles of Amendment as of the 1st day of September, 2004.

INLAND RESOURCES INC.

By: Susan G. Riggs, Treasurer

UTSL-	15855	61052	73088	76561	
071572A	16535	62848	73089	76787	
065914	16539	63073B	73520A	76808	
•	16544	63073D	74108	76813	
	17036	63073E	74805	76954	63073X
	17424	63073O	74806	76956	63098A
	18048	64917	74807	77233	68528A
UTU-	18399	64379	74808	77234	72086A
	19267	64380	74389	77235	72613A
02458	26026A	64381	74390	77337	73520X
03563	30096	64805	74391	77338	74477X
03563A	30103	64806	74392	77339	75023X
04493	31260	64917	74393	77357	76189X
05843	33992	65207	74398	77359	76331X
07978	34173	65210	74399	77365	76788X
09803	34346	65635	74400	77369	77098X
017439B	36442	65967	74404	77370	77107X
017985	36846	65969	74405	77546	77236X
017991	38411	65970	74406	77553·	77376X
017992	38428	66184	74411	77554	78560X
018073	38429	66185	74805	78022	79485X
019222	38431	66191	74806	79013 [.]	79641X
020252	39713	67168	74826	79014	80207X
020252A	39714	67170	74827	79015	81307X
020254	40026	67208	74835	79016	
020255	40652	67549	74868	79017	
020309D	40894	67586	74869	79831	
022684A	41377	67845	74870	79832	
027345	44210	68105	74872	79833 [,]	
034217A	44426	68548	74970	79831	
035521	44430	68618	75036	79834	
035521A	45431	69060	75037	80450	
038797	47171	69061	75038	80915	
058149	49092	69744	75039	81000	
063597A	49430	70821	75075		
075174	49950	72103	75078		•
096547	50376	72104	75089		
096550	50385	72105	75090		
	50376	72106	75234		
	50750	72107	75238		
10760	51081	72108	76239		
11385	52013	73086	76240		
13905	52018	73087	76241		
15392	58546	73807	76560		

Sundry Number: 35886 API Well Number: 43013200820000

	FORM 9					
	5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-020433					
SUNDF	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:					
Do not use this form for procurrent bottom-hole depth, FOR PERMIT TO DRILL form	7.UNIT or CA AGREEMENT NAME: GMBU (GRRV)					
1. TYPE OF WELL Oil Well	8. WELL NAME and NUMBER: GOVERNMENT 31-2					
2. NAME OF OPERATOR: NEWFIELD PRODUCTION CO	9. API NUMBER: 43013200820000					
3. ADDRESS OF OPERATOR: Rt 3 Box 3630 , Myton, UT	r, 84052 435 646-4825	PHONE NUMBER: Ext	9. FIELD and POOL or WILDCAT: MONUMENT BUTTE			
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0660 FSL 0660 FEL	COUNTY: DUCHESNE					
QTR/QTR, SECTION, TOWNSI Qtr/Qtr: SESE Section: 3	STATE: UTAH					
11. CHEC	K APPROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REPOR	RT, OR OTHER DATA			
TYPE OF SUBMISSION						
	ACIDIZE	ALTER CASING	CASING REPAIR			
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME			
	✓ CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	✓ CONVERT WELL TYPE			
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION			
3/22/2013	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK			
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION			
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON			
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL			
DRILLING REPORT Report Date:	☐ WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION			
	WILDCAT WELL DETERMINATION	OTHER	OTHER:			
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. The subject well has been converted from a producing oil well to an injection well on 03/21/2013. Initial MIT on the above listed well. On 03/22/2013 the casing was pressured up to 1350 psig and charted for 30 minutes with no pressure loss. The well was not injecting during the test. The tubing pressure was 0 psig during the test. There was not an EPA representative available to witness the test. EPA# UT22197-09905 Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY April 01, 2013						
NAME (PLEASE PRINT) Lucy Chavez-Naupoto	PHONE NUMBI 435 646-4874	R TITLE Water Services Technician				
SIGNATURE N/A		DATE 3/25/2013				

Sundry Number: 35886 API Well Number: 43013200820000

Mechanical Integrity Test Casing or Annulus Pressure Mechanical Integrity Test

U.S. Environmental Protection Agency
Underground Injection Control Program
999 18th Street, Suite 500 Denver, CO 80202-2466

EPA Witness:			Date: <u>3 1 22</u>	120/5	
Test conducted by:	n Trant				
Others present:	there present.				
				<u>09965</u> s: AC TA UC	
Well Name: Governy	next 31-2		Type: ER SWD Statu	s: AC IA OC	
Field: So Myton	1 2	6-17	Day on Ducker	42 State- / Hala	
Location: 3/-2 Sec	:3/ T_8 N4	(S) R. 17	EW County: Duckes	June Dunco.	
Operator. John 17 MAIS		and the second s	ble Pressure:	PSIG	
Last MIT:/	/ Maxim	um Allowa	ole Plessuic.		
Is this a regularly scheduled test? Initial test for permit? Yes [] No Test after well rework? Well injecting during test? Yes [] No If Yes, rate:					
MIT DATA TABLE	Test #1		Test #2	Test #3	
TUBING	PRESSURE	AND THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON OF TH			
Initial Pressure	7	psig	psig	psig	
End of test pressure	2	psig	psig	psig	
	ANNULUS		PRESSURE		
CASING / TUBING		psig	psig	psig	
0 minutes	1350		psig	psig	
5 minutes	1350	psig		psig	
10 minutes	1350	psig	psig		
15 minutes	1350	psig	psig	psig	
20 minutes	1350	psig	psig	psig	
25 minutes	1350	psig	psig	psig	
30 minutes	1350	psig	psig	psig	
minutes		psig	psig	psig	
minutes		psig	psig	psig	
RESULT	Pass Pass	[]Fail	Pass Fail	Pass []Fail	
			= 1		

Does the annulus pressure build back up after the test? [] Yes No MECHANICAL INTEGRITY PRESSURE TEST

Additional comments for mechanical integrity pressure test, such as volume of fluid added to annulus and bled back at end of test, reason for failing test (casing head leak, tubing leak, other), etc.:

Signature of Witness:	

Sundry Number: 35886 API Well Number: 43013200820000 ■MIDNIGHT ► 2000--1500--1250--1000-500 6 PM CHART NO. MC M-2500-24HR METER_ _ DISC NO._ CHART PUT NO TAKEN OFF TIME 2/3 PM 2 LOCATION COVERNMENT REMARKS 3/-2-8 009 -097 -10001-1200--0921 01 NOON 11

Daily Activity Report

Format For Sundry GOVERNMENT 31-2-8-17 1/1/2013 To 5/30/2013

3/19/2013 Day: 1

Conversion

WWS #9 on 3/19/2013 - Service Rig wait to see if wind will die - Service Rig, wait to see if wind will die down

Daily Cost: \$0

Cumulative Cost: \$13,157

3/20/2013 Day: 2

Conversion

WWS #9 on 3/20/2013 - LD rods 55 3/4 guided, out flush TBG - Rig up pumr 60 BBLS down csg @250*f remove wellhead from unit pick up on rods unset pump LD @ rods, flush TBG W/35 bbls @ 250*f reset pump test tbg to 3000psi good 1bbls to fill runners Delivered trailer to wrong location wait on trailer 12:30 to 2:00 Began LD rods 55 3/4 guided out flush tbg W/30 bbls cant LD rods 21-3/4, 4 pos 40-3/4 slick flush W/25BBLS cant LD rods 21-3/4 slick. 178 total pu.

Daily Cost: \$0

Cumulative Cost: \$23,446

3/21/2013 Day: 3

Conversion

WWS #9 on 3/21/2013 - Flush TBG W/ 50 bbls of H20 250*F cont LD rods - $29\ 3/4$ \$ per rods pump 8:00 Am XO to tbg equ pu release tac NU bops and change over spool $11:00\ NU\ BOPS$ and change over spool rd floor $12:20\ TOOH$ breaking collars 42 JTS out flushTBS W/ 30 BBLS @250* Cant TOOH breaking collars 62 JTS out flush tbg W/ 50 bbls cant tooh 120 total out SWIF

Daily Cost: \$0

Cumulative Cost: \$31,386

3/22/2013 Day: 4

Conversion

WWS #9 on 3/22/2013 - Flush TBG W/ 30 BBLS @ 250*F cant TOOH, breaking collars 34 JTS LD 13 extra JTS 2-3/8 on trailer HIT W/2-3/8 rentry guide - Flush TBG W/ 30 BBLS @ 250*F cant TOOH, breaking collars 34 JTS LD 13 extra JTS 2-3/8 on trailer HIT W/2-3/8 rentry guide 2-3/8 XN nipple XO 4'X2-3/8 sub 4-1/2 pkr retreving head psn 152JTS 2-3/8 J-55 holes full drop SV pump down to psn W/ 19 bbls pressure up to 3000psi watch for 30 minutes lost 50 psi bumped back up to 3000psi watch for 30 minutes good bleed off pressure. RIH W, sandline retreve SV POOH RD floor ND bops land TBG pump 65 bbls pkr fluid holes standing full pu set pkr @4848 to CE W, 15000 tension NU wellhead W, 2-3/8 gate valve presup csg to 1500psi check on morning

Daily Cost: \$0

Cumulative Cost: \$38,443

3/25/2013 Day: 5

Conversion

Rigless on 3/25/2013 - Conduct initial MIT - Initial MIT on the above listed well. On 03/22/2013 the casing was pressured up to 1350 psig and charted for 30 minutes with no

pressure loss. The well was not injecting during the test. The tubing pressure was 0 psig during the test. There was not an EPA representative available to witness the test. EPA#UT22197-09905 **Finalized**

Daily Cost: \$0

Cumulative Cost: \$70,277

Pertinent Files: Go to File List

Sundry Number: 36551 API Well Number: 43013200820000

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES					FORM 9
	5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-020433				
SUNDRY NOTICES AND REPORTS ON WELLS				6. IF INDIAN, ALLOTTEE OR TRIBE NAME:	
	oposals to drill new wells, significantly reenter plugged wells, or to drill horizon for such proposals.			7.UNIT or CA AGREEMENT NAME: GMBU (GRRV)	
1. TYPE OF WELL Water Injection Well				8. WELL NAME and NUMBER: GOVERNMENT 31-2	
2. NAME OF OPERATOR: NEWFIELD PRODUCTION COMPANY				9. API NUMBER: 43013200820000	
3. ADDRESS OF OPERATOR: Rt 3 Box 3630 , Myton, UT	, 84052 435 646-482		E NUMBER:	9. FIELD and POOL or WILDCAT: MONUMENT BUTTE	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0660 FSL 0660 FEL		COUNTY: DUCHESNE			
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: SESE Section: 3		STATE: UTAH			
11. CHEC	K APPROPRIATE BOXES TO INDICA	ATE NAT	TURE OF NOTICE, REPOR	T, OR OTHER DATA	
TYPE OF SUBMISSION	TYPE OF ACTION				
	ACIDIZE	☐ ALT	ER CASING	CASING REPAIR	
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	СНА	ANGE TUBING	CHANGE WELL NAME	
Approximate date work will start.	✓ CHANGE WELL STATUS	☐ con	MMINGLE PRODUCING FORMATIONS	✓ CONVERT WELL TYPE	
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRA	ACTURE TREAT	NEW CONSTRUCTION	
4/5/2013	OPERATOR CHANGE	☐ PLU	IG AND ABANDON	PLUG BACK	
SPUD REPORT	PRODUCTION START OR RESUME	REC	CLAMATION OF WELL SITE	RECOMPLETE DIFFER	ENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDE	ETRACK TO REPAIR WELL	TEMPORARY ABANDO	DN .
	TUBING REPAIR	U VEN	IT OR FLARE	WATER DISPOSAL	
DRILLING REPORT Report Date:	WATER SHUTOFF	SIT	A STATUS EXTENSION	APD EXTENSION	
Report Bute.					i
	WILDCAT WELL DETERMINATION	ОТН	IER	OTHER:	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. The above reference well was put on injection at 12:30 PM on 04/05/2013. EPA # UT22197-09905 Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY April 08, 2013					n of ining RD ONLY
				•	
NAME (PLEASE PRINT)	PHONE NUME		TITLE		
Lucy Chavez-Naupoto 435 646-4874			Water Services Technician		
SIGNATURE N/A			DATE 4/8/2013		

Government 31-2-8-17

Spud Date: 7/29/66 Put on Production: 8/9/66 Injection Wellbore GL: 5253' KB: 5265' Diagram FRAC JOB SURFACE CASING 8/26:66 4900'-5269" Frac zones as follows: CSG SIZE: 8-5/8" 49,000# 20/40 sand in 262 bbls frac fuid. GRADE: J-55 Treated @ avg press of 3600 psi w/avg rate of 33 BPM. Screened out. WEIGHT 24# LENGTH: 9 jts. (168°) 6/9/94 Pump change. Update rod details. HOLE SIZE 11" 2/4/97 Re-perf zones. Update tubing details. CEMENT DATA: 87 sxs cement Tubing Leak. Update tubing & rod details 06/30/04 02-20-09 3981 -- 4450 Major W/O Perf Csg Squeeze Hole /d. 4450° 03/21/13 Convert to Injection well Conversion MIT Finalized - updated thg 03/22/13 PRODUCTION CASING CSG SIZE: 4-1/2" GRADE: J-55 WEIGHT: 10.5# LENGTH: 9 js. (5355) Depth set HOLE SIZE: 7-7/8" CEMENT DATA: 224 sxs cement CEMENT TOP AT: 4470' per CBU SIZE/GRADE/WT.: 2-3/8" / J-55 / 6-84 NO. OF JOINTS: 152 jts (4830.6') SEATING NIPPLE: 2-3/8" N-80 (1.10") SN LANDED AT: 4842.61 KB RETR HEAD AT: 4844.3° ARROW #1 PACKER CE AT: 4850 3981-4450' Perf Csg TOC @ 4470 Squeeze holes TBG SUB 2-3/8 J-55 AT: 4852.21 XO 2-3/8 x 2-7/8 J-55 AT: 4856.3 X/N NIPPLE AT: 4856.9" TOTAL STRING LENGTH: EOT @ 4858.27 PERFORATION RECORD SN @: 4843 3 holes 8/24/66 4900'-4903' 1 SPF Retr Head @: 4844 8/24/66 4956*-4959 3 holes Packer @ 4850 8/24/66 5110"-5113" 1 SPF 3 holes X/N Nipple @ 4857 EOT @ 4858 8/24/66 5257'-5269' 1 SPF 3 holes 2/04/97 4953'-4958' 10 holes 2 SPF 2/04/97 5109'-5112' 2 SPF 6 holes 2/04/97 52551-52691 2 SPF 28 holes 1956'-4959 02/20/09 3981-4450 Squeeze 4953'-4958' re-perf 5110"-5113" 5109'-5112' re-perf 5257"-5269" NEWFIELD 5255'-5269' re-perf 26 Top of Fill @ 5308 Government 31-2-8-17 PBID & ID @ 5406 660 FSL & 660 FEL SE/SE Section 31-T8S-R17E Duchesne Co, Utah API #43-013-20082; Lease # U-020433